SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

ZITREC FC

of the mixture

Registration number

Synonyms None. 1001060 **Product code**

10-November-2016 Issue date

Version number 02

22-October-2018 **Revision date** 10-November-2016 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Antifreeze / Coolant.

Uses advised against None known. 1.3. Details of the supplier of the safety data sheet ARTECO NV Supplier

Metropoolstraat 25

B-2900 Schoten (Antwerpen)

Belgium

customerservice@arteco-coolants.com e-mail **Product information** Technical Information: +32 (0) 9 397 06 00

1.4. Emergency telephone

number

Transportation emergency Europe: +44 20 35147487 (24hr) Access code: 335087 Europe: +44 20 35147487 (24hr) Access code: 335087 **Health Emergency**

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended. Low hazard for usual industrial or commercial handling by trained personnel. **Hazard summary**

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

None. **Hazard pictograms** None Signal word

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Not assigned. Response Not assigned. Storage Not assigned. Disposal Not assigned.

Supplemental label information None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

ZITREC FC SDS UK

935647 Version #: 02

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Propane-1,2-diol	80 - 98	57-55-6 200-338-0	01-2119456809-23-XXXX	-	
Classification:	-				

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s). **Composition comments** All concentrations are in percent by weight.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eve contact Remove contact lenses, if present and easy to do. Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Alcohol resistant foam. Powder. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture Thermal decomposition may produce smoke, oxides of carbon and lower molecular weight organic compounds whose composition have not been characterised.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

5.3. Advice for firefighters

Special protective equipment for firefighters

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Use water spray to reduce vapours or divert vapour cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product

recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

ZITREC FC SDS UK 2/7

935647 Version #: 02

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Observe good industrial hygiene practices.

7.2. Conditions for safe

storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see section 10 of

Assessment factor Notes

the SDS).

Antifreeze / Coolant. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WEL

ON. E1140 WOINPlace Exposure Ellints (WEEs)				
Components	Туре	Value	Form	
Propane-1,2-diol (CAS 57-55-6)	TWA	474 mg/m3	Total vapour and particulates.	
		10 mg/m3	Particulate.	
		150 ppm	Total vapour and particulates.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Value

Derived no effect levels (DNELs)

General Population

Components

Propane-1,2-diol (CAS 57-55-6)			
Long-term, Local, Inhalation	10 mg/m3	15	Repeated dose toxicity
Long-term, Systemic, Inhalation	50 mg/m3	5	Repeated dose toxicity
<u>Workers</u>			
Components	Value	Assessment factor	Notes
Propane-1,2-diol (CAS 57-55-6)			
Long-term, Local, Inhalation	10 mg/m3	9	Repeated dose toxicity
Long-term, Systemic, Inhalation	168 mg/m3	3	Repeated dose toxicity
edicted no effect concentrations (PNECs)		
Components	Value	Assessment factor	Notes
Propane-1,2-diol (CAS 57-55-6)			
Freshwater	260 mg/l	50	
Intermittent releases	183 mg/l		
Marine water	26 mg/l	500	
Sediment (freshwater)	572 mg/kg		
Sediment (marine water)	57.2 mg/kg		
Soil	50 mg/kg		

STP 8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

1

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

20000 mg/l

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

- Hand protection Not normally needed. Wear suitable protective clothing as protection against splashing or

contamination.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

ZITREC FC SDS UK

935647 Version #: 02 **Environmental exposure**

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. Liquid. **Form** Colour Colourless. Mild Odour

Odour threshold Not determined. 9.85 (20°C) (Typical)

Melting point/freezing point Not applicable. / Not determined. 164 °C (327.2 °F) (Typical) Initial boiling point and boiling

range

103.0 °C (217.4 °F) Pensky-Martens Closed Cup (Approximate) Flash point

Not determined. **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not determined.

(%)

Not determined.

Flammability limit - upper (%)

Not determined. Vapour pressure Not determined. Vapour density Relative density Not determined.

Miscible. Solubility(ies)

Not determined. Partition coefficient

(n-octanol/water)

Not determined. **Auto-ignition temperature Decomposition temperature** Not determined. **Viscosity** Not determined. **Explosive properties** Not explosive. Oxidising properties Not oxidising.

9.2. Other information

Density 1.051 kg/l (20 °C) (Typical)

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong acids. Nitrates. Peroxides. Chlorates. 10.6. Hazardous At elevated temperatures: Ketones. Aldehydes.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation In high concentrations, mists/vapours may irritate throat and respiratory system and cause

coughing

Prolonged or repeated contact may dry skin and cause irritation. Skin contact

Direct contact with eyes may cause temporary irritation. Eye contact

ZITREC FC SDS UK

Ingestion of ethylene glycol may result in nausea, vomiting, abdominal cramps, blindness, liver Ingestion

damage, irritation, reproductive effects, nerve damage, convulsions, oedema of the lung, cardiopulmonary effects (metabolic acidosis), pneumonia and kidney failure which could result in death. The single lethal dose for humans is about 100 ml. Inhalation of high levels of vapour or

mists for prolonged periods of time may also result in toxic effects.

Exposure may cause temporary irritation, redness, or discomfort. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity

Product Species Test Results

ZITREC FC (CAS -)

Acute

Oral

> 2000 mg/kg LD50

Components **Test Results Species**

Propane-1,2-diol (CAS 57-55-6)

Acute

Dermal

Rabbit LD50 20800 mg/kg

Oral

LD50 Rat 20000 mg/kg

Skin corrosion/irritation Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Respiratory sensitisation Based on available data, the classification criteria are not met.

Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information No data available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Components **Species Test Results**

Propane-1,2-diol (CAS 57-55-6)

Aquatic

Algae EC50 Pseudokirchneriella subcapitata 19000 mg/l, 96 Hours Crustacea EC50 > 10000 mg/l, 48 Hours Daphnia magna Fish LC50 Fathead minnow (Pimephales promelas) 710 - 55770 mg/l, 96 Hours

12.2. Persistence and

degradability

Expected to be readily biodegradable.

No data available. 12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

> Propane-1,2-diol (CAS 57-55-6) -0.92

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No data available.

ZITREC FC SDS UK 5/7

935647 Version #: 02 Revision date: 22-October-2018 Issue date: 10-November-2016

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual wasteDispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code EWC: 16 01 14

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk

Not established.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Restrictions on use

Not listed.

Not listed.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

ZITREC FC SDS UK

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

All components of this product are compliant with the registration requirements of Regulation (EC) 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals, as

amended.

All components comply with the following chemical inventory requirements: AICS (Australia), DSL (Canada), EINECS (European Union), ENCS (Japan), IECSC (China), KECI (Korea), PICCS

(Philippines), TSCA (United States), TCSI (Taiwan), NZIoC (New Zealand).

National regulations

This product is not classified according to current European Union regulations. Follow national

regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

TWA: Time weighted average. DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.

STP: Sewage treatment plant. LD50: Lethal Dose, 50%.

EC50: Effective Concentration, 50%. LC50: Lethal Concentration, 50%.

PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative.

References

ECHA CHEM

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

None.

This SDS contains revisions in

the following section(s): **Training information**

Follow training instructions when handling this material.

Disclaimer

ARTECO NV cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

ZITREC FC SDS UK



COMPANY INFORMATION DISTRIBUTOR				
name	BRENNTAG N.V.	BRENNTAG Nederland B.V.		
address	Nijverheidslaan 38 8540 Deerlijk	Donker Duyvisweg 44 3316 BM Dordrecht		
country	Belgium	The Netherlands		
phone number	+32 (0)56 77 69 44	+31 (0)78 65 44 944		
fax number	+32 (0)56 77 57 11	+31 (0)78 65 44 919		
website	www.brenntag.be	www.brenntag.nl		
e-mail	info@brenntag.be	info@brenntag.nl		
activities	Distribution and export of chemicals and raw materials			
VAT number	BE0405317567	NL001375945B01		
recall procedure available	Yes			
emergency number (24/365)	+32 (0)56 77 69 44	+31 (0)78 6544 944		
QUALITY SYSTEMS				
ISO 9001	Yes	Yes		
ISO 14001	Yes	Yes		
ISO 22000	Yes	Yes		
FSSC 22000	Yes	Yes		
GMP+ -feed	Yes	Yes		
OHSAS18001	-	Yes		
ESAD	Yes	Yes		
other	-	AEO		